INT. J. PROD. RES., 15 DECEMBER 2004,
VOL. 42, NO. 24, 5273–5290

Taylor & Francis
Taylor & Francis Group

INDEX OF AUTHORS (WITH TITLES)

PAGE

Abbas, A. T.: A general algorithm for profiling and dressing grinding wheels when using a grinding spindle on a CNC lathe 3995
Abdelmaguid, T. F., Nassef, A. O., Kamal, B. A., and Hassan, M. F.: A hybrid GA/heuristic approach to the simultaneous scheduling of machines and automated guided vehicles 267
Abdi, M. R., and Labib, A. W.: Feasibility study of the tactical design justification for reconfigurable manufacturing systems using the fuzzy analytical hierarchical process 3055
Abdi, M. R., and Labib, A. W.: Grouping and selecting products: the design key of Reconfigurable Manufacturing Systems (RMSs) 521
Abid, C., D'Amours, S., and Montreuil, B.: Collaborative order management in distributed manufacturing 283
Achour, Z., Rezg, N., and Xie, X.: Supervisory control of marked graphs with partial observations 2827
Adesola, B. A., *see* Roy, R.
Adil, G. K., *see* Jayaswal, S.
Agard, B., and Kusiak, A.: Data-mining-based methodology for the design of product families. 2955
Aggoune, R., *see* Schaefers, J.
Agrawal, V. P., *see* Grover, S.
Aigbedo, H.: Analysis of parts requirements variance for a JIT supply chain . . . 417
Allada, V., *see* Kumar, R.
Allada, V., *see* Srivinas
Allwood, J. M., and Lee, W. L.: The impact of job rotation on problem solving skills 865
Alvarez Gil, M. J., *see* Machuca, J. A. D.
Amin-Nejad, S., *see* Balfour, C.
Anglani, A., *see* Pacella, M.
Antony, J., *see* Banuelas, R.
Arai, E., *see* Narita, H.
Arimitsu, H., *see* Nakashima, K.
Armacost, R. L., *see* Centeno, G.
Arumugam, J., *see* Sormaz, D. N.
Aryanezhad, M. B., and Komijan, A. R.: An improved algorithm for optimizing product mix under the theory of constraints 4221
Atwater, J. B., Stephens, A. A., and Chakravorty, S. S.: Impact of scheduling free goods on the throughput performance of a manufacturing operation 4849
Auernhammer, K., *see* Bullinger, H.-J.
Aurich, J. C., and Barbian, P.: Production projects – Designing and operating lifecycle-oriented and flexibility-optimized production systems as a project . . 3589
Axinte, D., and Gindy, N.: Assessment of the effectiveness of a spindle power signal for tool condition monitoring in machining processes 2679

Babayan, A., and He, D.: Solving the *n*-job 3-stage flexible flowshop scheduling problem using an agent-based approach 777
Babiceanu, R. F., Chen, F. F., and Sturges, R. H.: Framework for the control of automated material-handling systems using the holonic manufacturing approach 3551
Backhouse, C. J., *see* Yang, B.
Baek, J.-G., *see* Kim, C. O.
Baek, J.-K., *see* Kim, C. O.

Balasubramanian, H., Mönch, L., Fowler, J., and Pfund, M.: Genetic algorithm based scheduling of parallel batch machines with incompatible job families to minimize total weighted tardiness 1621
Balfour, C., Smith, J. S., and Amin-Nejad, S.: Feature correlation for weld image-processing applications 975
Banuelas, R., and Antony, J.: Modified analytic hierarchy process to incorporate uncertainty and managerial aspects 3851
Barbian, P., *see* Aurich, J. C.
Batson, R. G., and Shishoo, S.: Algorithm for optimal loss reduction in serial manufacturing 883
Baumgarten, H., Klinkner, R., and Sommer-Dittrich, T.: Reconfigurable logistics systems in production and disassembly networks. 3647
Baykasoglu, A., and Dereli, T.: Heuristic optimization system for the determination of index positions on CNC magazines with the consideration of cutting tool duplications 1281
Becker, F., *see* Schaefers, J.
Benders, J., and Morita, M.: Changes in Toyota Motors' operations management . 433
Bérard, B., Bouyer, P., and Petit, A.: Analysing the PGM protocol with UPPAAL. . 2773
Bernier, V., and Frein, Y.: Local scheduling problems submitted to global FIFO processing constraints 1483
Berrah, L., Mauris, G., and Vernadat, F.: Information aggregation in industrial performance measurement: rationales, issues and definitions 4271
Berthomieu, B., Ribet, P.-O., and Vernadat, F.: The tool TINA – Construction of abstract state spaces for Petri nets and Time Petri nets. 2741
Bischak, D. P., and Silver, E. A.: Estimating the out-of-control rate from control chart data in the presence of multiple causes and process improvement 5217
Bischak, D. P., *see* Silver, E. A.
Bish, E. K., *see* Ellis, K. P.
Blackstone, Jr, J. H.: On the shape of protective capacity in a simple line 629
Blumenfeld, D. E., *see* Inman, R. R.
Boctor, F. F., Laporte, G., and Renaud, J.: Models and algorithms for the dynamic-demand joint replenishment problem. 2667
Bohez, E. L. J.: A new generic timed Petri net model for design and performance analysis of a dual kanban FMS 719
Bokhorst, J. A. C., Slomp, J., and Gaalman, G. J. C.: On the who-rule in Dual Resource Constrained (DRC) manufacturing systems 5049
Bollapragada, R., and Sadeh, N. M.: An empirical study of policies to integrate reactive scheduling and control in just-in-time job shop environments . . . 693
Boute, R., Demeulemeester, E., and Herroelen, W.: A real options approach to project management 1715
Bouyer, P., *see* Bérard, B.
Boyd, D., *see* Shi, X.
Brah, S. A., and Chong, W.-K.: Relationship between total productive maintenance and performance 2383
Brian Hwarng, H.: Detecting process mean shift in the presence of autocorrelation: a neural-network based monitoring scheme 573
Britton, G. A., *see* Deng, Y.-M.
Bufardi, A., Gheorghe, R., Kiritsis, D., and Xirouchakis, P.: Multicriteria decision-aid approach for product end-of-life alternative selection 3139
Bulfin, R. L., *see* Koh, S.-G.
Bullinger, H.-J., Auernhammer, K., and Gomeringer, A.: Managing innovation networks in the knowledge-driven economy 3337
Burns, N. D., *see* Yang, B.
Byrd, T. A., *see* Henderson, S. C.

Cai, D., *see* Shi, Y.
Cai, N., *see* Li, X.

Cakravastia, A., and Takahashi, K.: Integrated model for supplier selection and negotiation in a make-to-order environment 4457
Cannon, A. R., and St John, C. H.: Competitive strategy and plant-level flexibility 1987
Cannon, R. E., *see* Hodgson, T. J.
Cao, Q., and Schniederjans, M. J.: Empirical study of the relationship between operations strategy and information systems strategic orientation in an e-commerce environment 2915
Cariapa, V., *see* Domblesky, J.
Cavalier, T. M., *see* McGarvey, R. G.
Cavalier, T. M., *see* Xi, M.
Centeno, G., and Armacost, R. L.: Minimizing makespan on parallel machines with release time and machine eligibility restrictions 1243
Cha, Y., *see* Lee, S.
Chakravorty, S. S., *see* Atwater, J. B.
Chan, C. Y., *see* Chan, W. M.
Chan, F. T. S., Chung, S. H., and Wadhwa, S.: A heuristic methodology for order distribution in a demand driven collaborative supply chain 1
Chan, W. M., Chan, C. Y., and Kwong, C. K.: Development of the MAIN algorithm for a cellular manufacturing machine layout 51
Chang, I., *see* Yang, T.
Chang, P.-Y., Damodaran, P., and Melouk, S.: Minimizing makespan on parallel batch processing machines 4211
Chang, Y. C., *see* Pearn, W. L.
Chang, Y.-H., *see* Tseng, H.-E.
Chauhan, S. S., Nagi, R., and Proth, J.-M.: Strategic capacity planning in supply chain design for a new market opportunity. 2197
Che, A., and Chu, C.: Single-track multi-hoist scheduling problem: a collision-free resolution based on a branch-and-bound approach 2435
Chen, C.-H., Khoo, L. P., and Jiao, L.: Information deduction approach through quality function deployment for the quantification of the dependency between design tasks 4623
Chen, C.-W., *see* Chen, J. C.
Chen, F. F., *see* Babiceanu, R. F.
Chen, F.-L., *see* Hsieh, H.-W.
Chen, I. J., and Paulraj, A.: Understanding supply chain management: critical research and a theoretical framework 131
Chen, J. C., Chen, C.-W., Tai, C.-Y., and Tyan, J. C.: Dynamic state-dependent dispatching for wafer fabrication 4547
Chen, J., *see* Wang, K.-J.
Chen, L.-Y., *see* Narita, H.
Chen, M.-C.: Optimizing machining economics models of turning operations using the scatter search approach 2611
Chen, X., *see* Shi, Y.
Chen, Y. L., *see* Liu, J. P.
Chen, Y., Tang, J., Fung, R. Y. K., and Ren, Z.: Fuzzy regression-based mathematical programming model for quality function deployment 1009
Cheraghi, S. H., *see* Stewart, D.
Childerhouse, P., Disney, S. M., and Towill, D. R.: Tailored toolkit to enable seamless supply chains. 3627
Chittilappilly, A., *see* Shayan, E.
Cho, B. R., *see* Govindaluri, M. S.
Cho, H., *see* Lee, S.
Cho, H.-W., and Kim, K.-J.: Fault diagnosis of batch processes using discriminant model 597
Choi, S.-W., *see* Lee, G.-C.
Choi, Y.-C., *see* Kim, Y.-D.
Chong, W.-K., *see* Brah, S. A.
Chu, C., *see* Che, A.

Chu, L. K., *see* Liu, J. P.
Chuang, C.-M., *see* Yau, H.-T.
Chung, S. H., *see* Chan, F. T. S.
Chung, S.-C., *see* Kim, K.-D.
Chuo, H.-C., *see* Hou, J.-L.
Chyu, C.-C., *see* Wu, F.-C.
Clerc, M., *see* Onwubolu, G. C.
Contini, P., and Tolio, T.: Computer-aided set-up planning for machining centres configuration 3473
Cook, D. F., *see* Zobel, C. W.
Cooke, D. L., Rohleder, T. R., and Silver, E. A.: Finding effective schedules for the economic lot scheduling problem: A simple mixed integer programming approach 21

D'Amours, S., *see* Abid, C.
Damodaran, P., *see* Chang, P.-Y.
Danese, P., and Romano, P.: Improving the path to align sales, production planning and engineering in high-variety versatile environment 493
Davis, S., *see* Masuchun, W.
Del Castillo, E., *see* McGarvey, R. G.
Del Castillo, E., *see* Pan, R.
Demeulemeester, E., *see* Boute, R.
Deng, Y.-M., Lam, Y. C., and Britton, G. A.: Optimization of injection moulding conditions with user-definable objective functions based on a genetic algorithm 1365
Denkena, B., Tönshoff, H. K., Li, X., Imiela, J., and Lapp, C.: Analysis and control/monitoring of the direct linear drive in end milling 5149
Dereli, T., *see* Baykasoglu, A.
Diamantidis, A. C., Papadopoulos, C. T., and Vidalis, M. I.: Exact analysis of a discrete material three-station one-buffer merge system with unreliable machines 651
Dickens, P. M., *see* Harris, R. A.
Dimopoulos, C., and Mort, N.: Evolving knowledge for the solution of clustering problems in cellular manufacturing 4119
Ding, F.-Y., and Sun, H.: Sequence alteration and restoration related to sequenced parts delivery on an automobile mixed-model assembly line with multiple departments 1525
Ding, X. M., Lu, Y. Q., Fuh, J. Y. H., and Lee, K. S.: Optimal cutter selection for complex three-axis NC mould machining 4785
Disney, S. M., and Grubbström, R. W.: Economic consequences of a production and inventory control policy 3419
Disney, S. M., *see* Childerhouse, P.
Disney, S. M., *see* Warburton, R. D. H.
Domblesky, J., Evans, R., and Cariapa, V.: Material removal model for vibratory finishing 1029
Dominguez, H., and Lashkari, R. S.: Model for integrating the supply chain of an appliance company: a value of information approach 2113
Dotoli, M., and Fanti, M. P.: Coloured timed Petri net model for real-time control of automated guided vehicle systems 1787
Duffuaa, S. O., Khursheed, S. N., and Noman, S. M.: Integrating statistical process control, engineering process control and Taguchi's quality engineering . . . 4109
Duman, E., and Or, I.: Precedence constrained TSP arising in printed circuit board assembly 67

Egbelu, P. J., *see* Ko, K.-C.
El Haddad, J., and Haddad, S.: A fault-tolerant communication mechanism for cooperative robots 2793
Eldemir, F., Graves, R. J., and Malmborg, C. J.: Conceptualizing automated palletizing systems 5119

Eldemir, F., Graves, R. J., and Malmborg, C. J.: New cycle time and space estimation models for automated storage and retrieval system conceptualization 4767
Ellis, K. P., Lu, Y., and Bish, E. K.: Scheduling of Wafer Test Processes in Semiconductor Manufacturing 215
Evans, R., *see* Domblesky, J.

Fabbri, R., *see* Schaefers, J.
Fan, S.-K. S., *see* Jen, C.-H.
Fanti, M. P., *see* Dotoli, M.
Faure, J. M., *see* Roussel, J. M.
Feng, H.-Y., *see* Li, H.
Fok, S. C., *see* Lam, Y. C.
Fowler, J., *see* Balasubramanian, H.
Freiheit, T., Shpitalni, M., Hu, S. J., and Koren, Y.: Productivity of synchronized serial production lines with flexible reserve capacity 2009
Frein, Y., *see* Bernier, V.
Fuh, J. Y. H., *see* Ding, X. M.
Fuh, J. Y. H., *see* Ning, Y.
Fujimoto, H., *see* Narita, H.
Fung, R. Y. K., *see* Chen, Y.

Gaalman, G. J. C., *see* Bokhorst, J. A. C.
Gaalman, G. J. C., *see* Soman, C. A.
Gaalman, G., *see* Henrich, P.
Gademann, A. J. R. M., *see* Wullink, G.
Galvagnon, V., *see* Thierry, C.
Gamberi, M., *see* Manzini, R.
Gao, S. M., *see* Liu, Y. S.
Garcia Guzman, L. M., Hammet, P. C., and Herrin, G. D.: Understanding multivariate components – sheet metal assembly relationships using dimensional slow build studies 2651
Gen, M., *see* Moon, C.
Gendron, B., *see* Persson, J. A.
Gharbi, A., *see* Hajji, A.
Gheorghe, R., *see* Bufardi, A.
Giachetti, R. E.: A framework to review the information integration of the enterprise 1147
Gindy, N., *see* Axinte, D.
Girault, A., Kalla, H., and Sorel, Y.: A scheduling heuristics for distributed real-time embedded systems tolerant to processor and communication media failures. . 2877
Giri, B. C., and Moon, I.: Accounting for idle capacity cost in the scheduling of economic lot sizes 677
Globerson, S., *see* Zwikael, O.
Gomeringer, A., *see* Bullinger, H.-J.
González, F., and Rosado, P.: General information model for representing machining features in CAPP systems 1815
Göthe-Lundgren, M., *see* Persson, J. A.
Gouin, A., *see* Gouyon, D.
Gouyon, D., Petin, J. F., and Gouin, A.: Pragmatic approach for modular control synthesis and implementation 2839
Govindaluri, M. S., Shin, S., and Cho, B. R.: Tolerance optimization using the Lambert *W* function: an empirical approach 3235
Grant, H., *see* Moses, S.
Graves, R. J., *see* Eldemir, F.
Grover, S., Agrawal, V. P., and Khan, I. A.: A digraph approach to TQM evaluation of an industry 4031
Grubbström, R. W., *see* Disney, S. M.
Grubbström, R. W., *see* Tang, O.
Grubbstrom, R. W., *see* Zanoni, S.

Gruenwald, L., *see* Moses, S.
Guo, D. O., *see* Ong, S. K.
Gupta, S. K., *see* Yao, Z.
Gutenschwager, K., *see* Spieckermann, S.

Ha, J.-W., *see* Koh, S.-G.
Haasis, S., *see* Mbang, S.
Haddad, S., *see* El Haddad, J.
Hague, R. J. M., *see* Harris, R. A.
Hague, R., Mansour, S., and Saleh, N.: Material and design considerations for Rapid Manufacturing 4691
Hajji, A., Gharbi, A., and Kenne, J. P.: Production and set-up control of a failure-prone manufacturing system 1107
Hammet, P. C., *see* Garcia Guzman, L. M.
Hans, E. W., *see* Wullink, G.
Harding, J. A., *see* Lin, H.-K.
Harmonosky, C. M., *see* Ozmutlu, S.
Harris, R. A., Hague, R. J. M., and Dickens, P. M.: Thermal conditions in stereolithography injection mould tooling and their use for polyether-ether-ketone moulding 119
Harrison, A., *see* Skipworth, H.
Hasija, S., and Rajendran, C.: Scheduling in flowshops to minimize total tardiness of jobs 2289
Hassan, M. F., *see* Abdelmaguid, T. F.
He, D., *see* Babayan, A.
Henderson, S. C., Swamidass, P. M., and Byrd, T. A.: Empirical models of the effect of integrated manufacturing on manufacturing performance and return on investment 1933
Henrich, P., Land, M., Gaalman, G., and van der Zee, D.-J.: Reducing feedback requirements of workload control 5235
Heragu, S. S., *see* Meng, G.
Herrin, G. D., *see* Garcia Guzman, L. M.
Herroelen, W., and Leus, R.: Robust and reactive project scheduling: a review and classification of procedures 1599
Herroelen, W., *see* Boute, R.
Ho, L. T., and Lin., G. C. I.: Critical success factor framework for the implementation of integrated-enterprise systems in the manufacturing environment 3731
Ho, T. F., and Li, R. K.: Heuristic dispatching rule to maximize TDD and IDD performance 5133
Ho, Y.-C., and Hsieh, P.-F.: A machine-to-loop assignment and layout design methodology for tandem AGV systems with multiple-load vehicles 801
Hodgson, J. P. E., *see* Warburton, R. D. H.
Hodgson, T. J., Jackson, S. D., Qu, P., and Cannon, R. E.: A material allocation scheme for optical fibre cable manufacturing: a case study 3271
Hodgson, T. J., *see* Schultz, S. R.
Hong, G. S., *see* Sun, J.
Hou, J.-L., Chuo, H.-C., and Sun, M.-T.: Heuristic and integrated approach for technical document authority and authentication sequence determination . . 1747
Hsieh, H.-W., and Chen, F.-L.: Recognition of defect spatial patterns in semiconductor fabrication 4153
Hsieh, K.-H., *see* Tien, F.-C.
Hsieh, P.-F., *see* Ho, Y.-C.
Hsu, B. M., *see* Pearn, W. L.
Hsu, C.-C., *see* Su, C.-T.
Hsu, L.-F.: Note on 'Design of double- and triple-sampling X-bar control charts using genetic algorithms' 1043
Hsu, S. Y., and Sha, D. Y.: Due date assignment using artificial neural networks under different shop floor control strategies. 1727

Hu, S. J., *see* Freiheit, T.
Huang, G. Q., *see* Lau, J. S. K.
Huang, S. H., Liu, Q., and Musa, R.: Tolerance-based process plan evaluation using Monte Carlo simulation 4871
Huang, S., *see* Shi, Y.
Huyet, A. L., and Paris, J. L.: Synergy between evolutionary optimization and induction graphs learning for simulated manufacturing systems 4295

Ignizio, J. P.: Optimal maintenance headcount allocation: an application of Chebyshev Goal Programming 201
Imiela, J., *see* Denkena, B.
Inman, R. R., Jordan, W. C., and Blumenfeld, D. E.: Chained cross-training of assembly line workers 1899
Ioannidis, S., Kouikoglou, V. S., and Phillis, Y. A.: Coordinating quality, production and sales in manufacturing systems 3947
Ioannou, G., and Papadoyiannis, C.: Theory of constraints-based methodology for effective ERP implementations 4927
Ito, T., *see* Kotani, S.

Jaber, M. Y., Nuwayhid, R. Y., and Rosen, M. A.: Price-driven economic order systems from a thermodynamic point of view 5167
Jackson, S. D., *see* Hodgson, T. J.
Jacob, D. V., Ramana, K. V., and Rao, P. V. M.: Automated manufacturability assessment of rotational parts by grinding 505
Jacobs, F. R., *see* Sengupta, K.
Jain, P. K., *see* Singh, P. K.
Jain, S. C., *see* Singh, P. K.
Jang, W., *see* Lodree Jr, E.
Jayaram, J., Kannan, V. R., and Tan, K. C.: Influence of initiators on supply chain value creation 4377
Jayaram, J., *see* Tan, K. C.
Jayaswal, S., and Adil, G. K.: Efficient algorithm for cell formation with sequence data, machine replications and alternative process routings 2419
Jen, C.-H., Jiang, B. C., and Fan, S.-K. S.: General run-to-run (R2R) control framework using self-tuning control for multiple-input multiple-output (MIMO) processes 4249
Jensen, J. B., *see* Kannan, V. R.
Jéron, T., Marchand, H., Rusu, V., and Tschaen, V.: Ensuring the conformance of reactive discrete-event systems by means of supervisory control 2809
Ji, P., *see* Xue, J.
Jiang, B. C., *see* Jen, C.-H.
Jiao, L., *see* Chen, C.-H.
Jin, S., *see* Mason, S. J.
Jodlbauer, H.: Discussion of the standard processing time 1471
Johansson, E., and Johansson, M. I.: The information gap between design engineering and materials supply systems design 3787
Johansson, M. I., *see* Johansson, E.
John, E. G.: Comparative assessment of forecasts 997
Jordan, W. C., *see* Inman, R. R.
Jorjani, S., Leu, J., and Scott, C.: Model for the allocation of electronics components to reuse options 1131
Joshi, S., *see* McDonnell, P.
Juan, Y.-C., and Ou-Yang, C.: Systematic approach for the gap analysis of business processes 1325
Jung, M., *see* Lee, S.
Jung, M., *see* Ryu, K.
Jung, M., *see* Shin, M.

Kaczmarczyk, W., Sawik, T., Schaller, A., and Tirpak, T. M.: Optimal versus heuristic scheduling of surface mount technology lines 2083
Kajihara, Y., *see* Osaki, H.
Kakade, V., Valenzuela, J. F., and Smith, J. S.: An optimization model for selective inspection in serial manufacturing systems 3891
Kakuro, A.: Development of 'Science TQM', a new principle of quality management: effectiveness of strategic stratified task team at Toyota 3691
Kalla, H., *see* Girault, A.
Kamal, B. A., *see* Abdelmaguid, T. F.
Kannan, V. R., and Jensen, J. B.: Learning and labour assignment in a dual resource constrained cellular shop 1455
Kannan, V. R., *see* Jayaram, J.
Kannan, V. R., *see* Tan, K. C.
Kara, Y., *see* Peker, A.
Karsak, E. E.: Fuzzy multiple objective decision making approach to prioritize design requirements in quality function deployment 3957
Kazmierczak, K., Winkel, J., and Westgaard, R. H.: Car disassembly and ergonomics in Sweden: current situation and future perspectives in light of new environmental legislation 1305
Kenne, J. P., *see* Hajji, A.
Khan, I. A., *see* Grover, S.
Khoo, L. P., *see* Chen, C.-H.
Khursheed, S. N., *see* Duffuaa, S. O.
Kim, C. O., Baek, J.-G., and Baek, J.-K.: A two-phase heuristic algorithm for cell formation problems considering alternative part routes and machine sequences 3911
Kim, J. S., *see* Moon, C.
Kim, K.-D., and Chung, S.-C.: Synthesis of the 3D artefact for quick identification of thermal errors in machine tools 1167
Kim, K.-J., *see* Cho, H.-W.
Kim, S.-B., *see* Kim, Y.-D.
Kim, Y.-D., *see* Lee, G.-C.
Kim, Y.-D., *see* Lee, G.-C.
Kim, Y.-D., Shim, S.-O., Kim, S.-B., Choi, Y.-C., and Yoon, H. M.: Parallel machine scheduling considering a job-splitting property 4531
King, R. E., *see* Schultz, S. R.
King, R. E., *see* Stanfield, P. M.
Kiritsis, D., *see* Bufardi, A.
Kiritsis, D., *see* Lee, D.-H.
Klein, C. M., *see* Lodree Jr, E.
Klinkner, R., *see* Baumgarten, H.
Ko, K.-C., and Egbelu, P. J.: Reconfiguration of a job shop to respond to product mix changes based on a virtual production system concept 4641
Kodek, D. M., and Krisper, M.: Optimal algorithm for minimizing production cycle time of a printed circuit board assembly line 5031
Koh, S. C. L., *see* Loh, T. C.
Koh, S.-G., and Bulfin, R. L.: Comparison of DBR with CONWIP in an unbalanced production line with three stations 391
Koh, S.-G., Koo, P.-H., Ha, J.-W., and Lee, W.-S.: Scheduling parallel batch processing machines with arbitrary job sizes and incompatible job families . . 4091
Köksal, G.: Selecting quality improvement projects and product mix together in manufacturing: an improvement of a theory of constraints-based approach by incorporating quality loss 5009
Komijan, A. R., *see* Aryanezhad, M. B.
Koo, P.-H., *see* Koh, S.-G.
Koren, Y., *see* Freiheit, T.
Kotani, S., Ito, T., and Ohno, K.: Sequencing problem for a mixed-model assembly line in the Toyota production system. 4955

Koubaa, A., and Song, Y.-Q.: Evaluation and improvement of response time bounds for real-time applications under non-pre-emptive fixed priority scheduling . . 2899
Kouikoglou, V. S., *see* Ioannidis, S.
Krisper, M., *see* Kodek, D. M.
Kulturel-Konak, S., Smith, A. E., and Norman, B. A.: Layout optimization considering production uncertainty and routing flexibility 4475
Kumar, N., *see* Ranjan, R.
Kumar, R., Tiwari, M. K., and Allada, V.: Modelling and rescheduling of a re-entrant wafer fabrication line involving machine unreliability 4431
Kuo, Y., *see* Yang, T.
Kuriyama, S., *see* Nakashima, K.
Kusiak, A., *see* Agard, B.
Kwong, C. K., *see* Chan, W. M.
Kwong, C. K., *see* Tong, K. W.

Labib, A. W., *see* Abdi, M. R.
Lai, V. S., and Mahapatra, R. K.: Correlating business process re-engineering with the information systems department 2357
Lam, Y. C., *see* Deng, Y.-M.
Lam, Y. C., Zhai, L. Y., Tai, K., and Fok, S. C.: An evolutionary approach for cooling system optimization in plastic injection moulding 2047
Lamghabbar, A., Yacout, S., and Ouali, M. S.: Concurrent optimization of the design and manufacturing stages of product development 4495
Lamothe, J., *see* Thierry, C.
Land, M., *see* Henrich, P.
Laporte, G., *see* Boctor, F. F.
Lapp, C., *see* Denkena, B.
Lashkari, R. S., *see* Dominguez, H.
Lassila, A. M., *see* Saad, S. M.
Lau, J. S. K., Huang, G. Q., and Mak, K. L.: Impact of information sharing on inventory replenishment in divergent supply chains 919
Lee, C. H., *see* Sheen, D.
Lee, D.-H., Kiritsis, D., and Xirouchakis, P.: Iterative approach to operation selection and sequencing in process planning 4745
Lee, G.-C., and Kim, Y.-D.: A branch-and-bound algorithm for a two-stage hybrid flowshop scheduling problem minimizing total tardiness 4731
Lee, G.-C., Kim, Y.-D., and Choi, S.-W.: Bottleneck-focused scheduling for a hybrid flowshop 165
Lee, K. S., *see* Ding, X. M.
Lee, K., *see* Sheen, D.
Lee, S., Cha, Y., Cho, H., and Jung, M.: Requests network model for deadlock detection and avoidance in automated manufacturing systems 3203
Lee, W. B., *see* Noori, H.
Lee, W. L., *see* Allwood, J. M.
Lee, W. T., *see* Lin, J. T.
Lee, W.-S., *see* Koh, S.-G.
Lee, Y.-S., *see* Yau, H.-T.
Lehtihet, E. A., *see* McGarvey, R. G.
Lehtihet, E. A., *see* Xi, M.
Leon, V. J., *see* Shin, H. J.
Lesage, J. J., *see* Roussel, J. M.
Leu, J., *see* Jorjani, S.
Leus, R., *see* Herroelen, W.
Levy, E., *see* Reich, Y.
Li, H., and Feng, H.-Y.: Efficient five-axis machining of free-form surfaces with constant scallop height tool paths 2403
Li, J.-D., *see* Tseng, H.-E.
Li, R. K., *see* Ho, T. F.

Li, S., *see* Shang, J. S.
Li, W. D., Ong, S. K., and Nee, A. Y. C.: Optimization of process plans using a constraint-based tabu search approach 1955
Li, X., *see* Denkena, B.
Li, X., Wang, L., and Cai, N.: Machine-vision-based surface finish inspection for cutting tool replacement in production 2279
Lin, B.-W.: Original equipment manufacturers (OEM) manufacturing strategy for network innovation agility: the case of Taiwanese manufacturing networks . . 943
Lin, G. C. I., *see* Wang, D.
Lin, H. C., *see* Pearn, W. L.
Lin, H.-K., Harding, J. A., and Shahbaz, M.: Manufacturing system engineering ontology for semantic interoperability across extended project teams 5099
Lin, J. T., Wang, F. K., and Lee, W. T.: Capacity-constrained scheduling for a logic IC final test facility 79
Lin, J. T., Wang, F. K., and Young, J. R.: Virtual vehicle in the connecting transport automated material-handling system (AMHS). 2599
Lin, L., *see* Ortega, M.
Lin, G. C. I., *see* Ho, L. T.
Linhares, A.: Minimization of open orders: application of a re-distribution coordination policy 1189
Liu, J. P., Luo, Z. B., Chu, L. K., and Chen, Y. L.: Manufacturing system design with optimal diagnosability. 1695
Liu, Q., *see* Huang, S. H.
Liu, S.-T.: Fuzzy geometric programming approach to a fuzzy machining economics model 3253
Liu, Y. S., and Gao, S. M.: Variational geometry based pre-inspection of a pattern of holes 1659
Liu, Y., and Nof, S. Y.: Distributed microflow sensor arrays and networks: design of architectures and communication protocols 3101
Lodree Jr, E., Jang, W., and Klein, C. M.: Minimizing response time in a two-stage supply chain system with variable lead time and stochastic demand 2263
Loh, H. T., *see* Ning, Y.
Loh, T. C., and Koh, S. C. L.: Critical elements for a successful enterprise resource planning implementation in small- and medium-sized enterprises 3433
Louw, L., and Page, D. C.: Queuing network analysis approach for estimating the sizes of the time buffers in Theory of Constraints-controlled production systems. . 1207
Lu, C.-J., and Tsai, D.-M.: Defect inspection of patterned thin film transistor-liquid crystal display panels using a fast sub-image-based singular value decomposition 4331
Lu, Y. Q., *see* Ding, X. M.
Lu, Y., *see* Ellis, K. P.
Lundgren, J. T., *see* Persson, J. A.
Luo, Z. B., *see* Liu, J. P.

Macedo, J.: Unified structural–procedural approach for designing integrated manufacturing systems 3565
Machuca, J. A. D., Sacristán Díaz, M., and Álvarez Gil, M. J.: Adopting and implementing advanced manufacturing technology: new data on key factors from the aeronautical industry 3183
Magniette, F., Pilard, L., and Rozoy, B.: A method for the verification of a distributed and synchronized algorithm 2757
Mahapatra, R. K., *see* Lai, V. S.
Mak, K. L., *see* Lau, J. S. K.
Malakooti, B., Malakooti, N. R., and Yang, Z.: Integrated group technology, cell formation, process planning, and production planning with application to the emergency room. 1769
Malakooti, N. R., *see* Malakooti, B.
Malmborg, C. J., *see* Eldemir, F.
Malzahn, D., *see* Stewart, D.

Mansour, S., *see* Hague, R.
Manzini, R., Gamberi, M., Regattieri, A., and Persona, A.: Framework for designing a flexible cellular assembly system 3505
Marchand, H., *see* Jéron, T.
Martin, R. L., and White, C.: Finite capacity scheduling with multiple tools and machines 1557
Mason, S. J., Jin, S., and Wessels, C. M.: Rescheduling strategies for minimizing total weighted tardiness in complex job shops 613
Masuchun, W., Davis, S., and Patterson, J. W.: Comparison of push and pull control strategies for supply network management in a make-to-stock environment. . 4401
Mati, Y., *see* Rezg, N.
Matta, A., Tolio, T., and Tontini, F.: Tool management in flexible manufacturing systems with network part program 3707
Mauris, G., *see* Berrah, L.
Mbang, S., and Haasis, S.: Automation of the computer-aided design–computer-aided quality assurance process chain in car body engineering 3675
McDonnell, P., Joshi, S., and Qiu, R. G.: Set-up games: a heuristic game-theoretic approach to set-up decisions for heterarchical manufacturing systems. . . . 4195
McGarvey, R. G., Cavalier, T. M., Del Castillo, E., and Lehtihet, E. A.: A unified framework for probabilistic sequential tolerance control 1443
Medina, A., *see* Roussel, J. M.
Melouk, S., *see* Chang, P.-Y.
Meng, G., Heragu, S. S., and Zijm, H.: Reconfigurable layout problem 4709
Miragliotta, G., and Staudacher, A. P.: Exploiting information sharing, stock management and capacity oversizing in the management of lumpy demand 2533
Miyazaki, S., *see* Osaki, H.
Mönch, L., *see* Balasubramanian, H.
Monies, F., Mousseigne, M., Redonnet, J.-M., and Rubio, W.: Determining a collision-free domain for the tool in five-axis machining 4513
Montreuil, B., *see* Abid, C.
Moon, C., Kim, J. S., and Gen, M.: Advanced planning and scheduling based on precedence and resource constraints for e-plant chains 2941
Moon, I., *see* Giri, B. C.
Morita, M., *see* Benders, J.
Mort, N., *see* Dimopoulos, C.
Moses, S., Grant, H., Gruenwald, L., and Pulat, S.: Real-time due-date promising by build-to-order environments. 4353
Mousseigne, M., *see* Monies, F.
Munesawa, Y., *see* Osaki, H.
Musa, R., *see* Huang, S. H.

Nagalingam, S. V., *see* Wang, D.
Nagi, R., *see* Chauhan, S. S.
Naim, M. M., *see* Tang, O.
Nakamoto, K., *see* Narita, H.
Nakashima, K., Arimitsu, H., Nose, T., and Kuriyama, S.: Optimal control of a remanufacturing system 3619
Narasimhan, R., *see* Tan, K. C.
Narita, H., Shirase, K., Arai, E., Nakamoto, K., Chen, L.-Y., and Fujimoto, H.: Proposal of a concept of future oriented machine tools for advanced manufacturing systems 3657
Naso, D., and Turchiano, B.: A coordination strategy for distributed multi-agent manufacturing systems 2497
Nassef, A. O., *see* Abdelmaguid, T. F.
Nee, A. Y. C., *see* Li, W. D.
Ning, Y., Fuh, J. Y. H., Wong, Y. S., and Loh, H. T.: An intelligent parameter selection system for the direct metal laser sintering process 183

Nishioka, Y.: Collaborative agents for production planning and scheduling (CAPPS): a challenge to develop a new software system architecture for manufacturing management in Japan 3355
Nnaji, B. O., *see* Wang, Y.
Nof, S. Y., *see* Liu, Y.
Noh, S. D., *see* Sheen, D.
Noman, S. M., *see* Duffuaa, S. O.
Noori, H., and Lee, W. B.: Collaborative design in a networked enterprise: The case of the telecommunications industry 3041
Norman, B. A., *see* Kulturel-Konak, S.
Nose, T., *see* Nakashima, K.
Nottingham, Q. J., *see* Zobel, C. W.
Nuwayhid, R. Y., *see* Jaber, M. Y.

O'Brien, C.: Editorial 3335
O'Grady, P., *see* Wu, T.
Ohno, K., *see* Kotani, S.
Okulicz, K.: Virtual reality-based approach to manufacturing process planning . . 3493
Ong, S. K., and Guo, D. O.: Online design reuse tool for the support of the generation, embodiment and detailed design of products 3301
Ong, S. K., *see* Li, W. D.
Onwubolu, G. C., and Clerc, M.: Optimal path for automated drilling operations by a new heuristic approach using particle swarm optimization 473
Or, I., *see* Duman, E.
Ortega, M., and Lin, L.: Control theory applications to the production–inventory problem: a review 2303
Osaki, H., Miyazaki, S., Kajihara, Y., Munesawa, Y., and Uchiyama, H.: An approach to the automation of the assembly of flexible belt-shaped objects . . 1391
Ou-Yang, C., *see* Juan, Y.-C.
Ouali, M. S., *see* Lamghabbar, A.
Ozmutlu, S., and Harmonosky, C. M.: A real-time methodology for minimizing mean flowtime in FMSs with machine breakdowns: threshold-based selective rerouting 4975

Pacella, M., Semeraro, Q., and Anglani, A.: Adaptive Resonance Theory-based neural algorithms for manufacturing process quality control 4581
Page, D. C., *see* Louw, L.
Pan, E. S., *see* Wu, Z.
Pan, J. C.-H., *see* Yang, J.-S.
Pan, R., and Del Castillo, E.: Scheduling methods for the statistical setup adjustment problem: a correction and clarification 211
Pan, T.-Y., *see* Tsai, C.-Y.
Pandey, P. M., Thrimurthulu, K., and Reddy, N. V.: Optimal part deposition orientation in FDM by using a multicriteria genetic algorithm 4069
Pandey, R. K., *see* Ranjan, R.
Papadopoulos, C. T., *see* Diamantidis, A. C.
Papadoyiannis, C., *see* Ioannou, G.
Papageorgiou, L. G., *see* Suryadi, H.
Paris, J. L., *see* Huyet, A. L.
Patterson, J. W., *see* Masuchun, W.
Paulraj, A., *see* Chen, I. J.
Pearn, W. L., Chang, Y. C., and Wu, C.-W.: Quality-yield measure for production processes with very low fraction defective 4909
Pearn, W. L., Shu, M. H., and Hsu, B. M.: Lower confidence bounds for C_{PU} and C_{PL} based on multiple samples with application to production yield assurance . . 2339
Pearn, W. L., Wu, C.-W., and Lin, H. C.: Procedure for supplier selection based on C_{pm} applied to super twisted nematic liquid crystal display processes 2719

Peker, A., and Kara, Y.: Parameter setting of the Fuzzy ART neural network to part–machine cell formation problem 1257
Persona, A., *see* Manzini, R.
Persson, J. A., Göthe-Lundgren, M., Lundgren, J. T., and Gendron, B.: A tabu search heuristic for scheduling the production processes at an oil refinery 445
Petin, J. F., *see* Gouyon, D.
Petit, A., *see* Bérard, B.
Pfund, M., *see* Balasubramanian, H.
Phillis, Y. A., *see* Ioannidis, S.
Pilard, L., *see* Magniette, F.
Piplani, R., *see* Zou, X.
Pokharel, S., *see* Zou, X.
Prasad, K. S. R. K., and Selvaraj, P.: Practical methods of computer-aided flat pattern development for sheet metal components 3011
Prida, B., *see* Zequeira, R. I.
Proth, J.-M., *see* Chauhan, S. S.
Pulat, S., *see* Moses, S.

Qiu, R. G., *see* McDonnell, P.
Qiu, R. G., *see* Tang, Y.
Qu, P., *see* Hodgson, T. J.

Raghavachari, M., *see* Surtihadi, J.
Rahim, M. A., and Tuffaha, F.: Integrated model for determining the optimal initial settings of the process mean and the optimal production run assuming quadratic loss functions 3281
Rahimifard, S.: Semi-heterarchical production planning structures in the support of team-based manufacturing 3369
Rahman, M., *see* Sun, J.
Rajaraman, S., *see* Sormaz, D. N.
Rajendran, C., *see* Hasija, S.
Rajotia, S., *see* Verma, A. K.
Ramana, K. V., *see* Jacob, D. V.
Ranjan, R., Kumar, N., Pandey, R. K., and Tiwari, M. K.: Agent-based design framework for riser and gating system design for sound casting 4827
Rao, P. V. M., *see* Jacob, D. V.
Reddy, N. V., *see* Pandey, P. M.
Redonnet, J.-M., *see* Monies, F.
Regattieri, A., *see* Manzini, R.
Reich, Y., and Levy, E.: Managing product design quality under resource constraints 2555
Ren, Z., *see* Chen, Y.
Renaud, J., *see* Boctor, F. F.
Rezg, N., and Xie, X.: Editorial 2737
Rezg, N., *see* Achour, Z.
Rezg, N., Xie, X., and Mati, Y.: Joint optimization of preventive maintenance and inventory control in a production line using simulation 2029
Ribas, P. C., *see* Vieira, G. E.
Ribet, P.-O., *see* Berthomieu, B.
Riezebos, J.: Time bucket length and lot-splitting approach 2325
Rogers, P., and Warrington, R.: Production planning for surface mount technology lines 2693
Rohleder, T. R., *see* Cooke, D. L.
Romano, P., *see* Danese, P.
Rosado, P., *see* González, F.
Rosen, M. A., *see* Jaber, M. Y.
Roussel, J. M., Faure, J. M., Lesage, J. J., and Medina, A.: Algebraic approach for dependable logic control systems design 2859

Roy, R., Adesola, B. A., and Thornton, S.: Development of a knowledge model for managing schedule disturbance in steel-making 3975
Rozoy, B., *see* Magniette, F.
Rubinovitz, J., *see* Shnits, B.
Rubio, W., *see* Monies, F.
Runger, G., *see* Surtihadi, J.
Rusu, V., *see* Jéron, T.
Ryu, K., and Jung, M.: Goal-orientation mechanism in a fractal manufacturing system 2207

Saad, S. M., and Lassila, A. M.: Layout design in fractal organizations 3529
Sacristán Díaz, M., *see* Machuca, J. A. D.
Sadeh, N. M., *see* Bollapragada, R.
Saleh, N., *see* Hague, R.
Sato, R., and Tsai, T. L.: Agile production planning and control with advance notification to change schedule 321
Sawik, T., *see* Kaczmarczyk, W.
Saygin, C., *see* Siwamogsatham, T.
Schaefers, J., Aggoune, R., Becker, F., and Fabbri, R.: TOC-based planning and scheduling model 2639
Schaller, A., *see* Kaczmarczyk, W.
Schillings, P., *see* Shi, X.
Schniederjans, M. J., *see* Cao, Q.
Schultz, C. R.: Spare parts inventory and cycle time reduction 759
Schultz, S. R., Hodgson, T. J., King, R. E., and Taner, M. R.: Minimizing L_{max} for the single machine scheduling problem with family set-ups. 4315
Schultz, S. R., Hodgson, T. J., King, R. E., and Thoney, K. A.: Minimizing L_{max} for large-scale, job-shop scheduling problems 4893
Scott, C., *see* Jorjani, S.
Segerstedt, A.: A note on "Frequency approach for treating capacity constrained multi-level production", IJPR, 42, 3119–3137 4639
Segerstedt, A.: Frequency approach for treating capacity-constrained multilevel production 3119
Selvaraj, P., *see* Prasad, K. S. R. K.
Semeraro, Q., *see* Pacella, M.
Sengupta, K., and Jacobs, F. R.: Impact of work teams: a comparison study of assembly cells and assembly line for a variety of operating environments . . 4173
Sha, D. Y., *see* Hsu, S. Y.
Shahbaz, M., *see* Lin, H.-K.
Shamsuzzaman, M., *see* Wu, Z.
Shang, J. S., Li, S., and Tadikamalla, P.: Operational design of a supply chain system using the Taguchi method, response surface methodology, simulation, and optimization 3823
Shankar, R., *see* Solimanpur, M.
Shayan, E., and Chittilappilly, A.: Genetic algorithm for facilities layout problems based on slicing tree structure 4055
Sheen, D., Lee, C. H., Noh, S. D., and Lee, K.: Process planning and NC-code generation in manufacturing of press dies for production of car bodies . . . 37
Shi, X., Schillings, P., and Boyd, D.: Applying artificial neural networks and virtual experimental design to quality improvement of two industrial processes . . . 101
Shi, Y., Chen, X., Cai, D., and Huang, S.: Application software system based on direct slicing for rapid prototyping 2227
Shim, S.-O., *see* Kim, Y.-D.
Shin, H. J., and Leon, V. J.: Scheduling with product family set-up times: an application in TFT LCD manufacturing 4235
Shin, M., and Jung, M.: MANPro: mobile agent-based negotiation process for distributed intelligent manufacturing 303
Shin, S., *see* Govindaluri, M. S.
Shirase, K., *see* Narita, H.

Shishoo, S., *see* Batson, R. G.
Shnits, B., Rubinovitz, J., and Sinreich, D.: Multicriteria dynamic scheduling methodology for controlling a flexible manufacturing system 3457
Shpitalni, M., *see* Freiheit, T.
Shu, M. H., *see* Pearn, W. L.
Silver, E. A., and Bischak, D. P.: Bayesian estimation of the rate at which a process, monitored by an X chart, goes out of control 1227
Silver, E. A., *see* Bischak, D. P.
Silver, E. A., *see* Cooke, D. L.
Singh, P. K., Jain, P. K., and Jain, S. C.: A genetic algorithm-based solution to optimal tolerance synthesis of mechanical assemblies with alternative manufacturing processes: focus on complex tolerancing problems 5185
Sinreich, D., *see* Shnits, B.
Siwamogsatham, T., and Saygin, C.: Auction-based distributed scheduling and control scheme for flexible manufacturing systems 547
Skipworth, H., and Harrison, A.: Implications of form postponement to manufacturing: a case study 2063
Slomp, J., *see* Bokhorst, J. A. C.
Smith, A. E., *see* Kulturel-Konak, S.
Smith, J. S., *see* Balfour, C.
Smith, J. S., *see* Kakade, V.
Solimanpur, M., Vrat, P., and Shankar, R.: A multi-objective genetic algorithm approach to the design of cellular manufacturing systems. 1419
Solimanpur, M., Vrat, P., and Shankar, R.: Feasibility and robustness of transiently chaotic neural networks applied to the cell formation problem 1065
Soman, C. A., van Donk, D. P., and Gaalman, G. J. C.: A basic period approach to the economic lot scheduling problem with shelf life considerations. 1677
Sommer-Dittrich, T., *see* Baumgarten, H.
Son, Y. J., *see* Venkateswaran, J.
Song, Y.-Q., *see* Koubaa, A.
Sorel, Y., *see* Girault, A.
Sormaz, D. N., Arumugam, J., and Rajaraman, S.: Integrative process plan model and representation for intelligent distributed manufacturing planning 3397
Sparks, R.: A Group of Weighted Moving Averages: An efficient plan for monitoring a range of process changes. 2627
Sparks, R.: Weighted moving averages: an efficient plan for monitoring specific location shifts 2521
Spieckermann, S., Gutenschwager, K., and Voß, S.: A sequential ordering problem in automotive paint shops 1865
Srivinas, Tiwari, M. K., and Allada, V.: Solving the machine-loading problem in a flexible manufacturing system using a combinatorial auction-based approach 1879
St John, C. H., *see* Cannon, A. R.
Stanfield, P. M., Wilson, J. R., and King, R. E.: Flexible modelling of correlated operation times with application in product-reuse facilities 2179
Staudacher, A. P., *see* Miragliotta, G.
Stephens, A. A., *see* Atwater, J. B.
Stewart, D., Cheraghi, S. H., and Malzahn, D.: Fuzzy defect avoidance system (FDAS) for product defect control 3159
Sturges, R. H., *see* Babiceanu, R. F.
Su, C.-T., and Hsu, C.-C.: On-line tuning of a single EWMA controller based on the neural technique. 2163
Sun, H., *see* Ding, F.-Y.
Sun, J., Hong, G. S., Rahman, M., and Wong, Y. S.: Identification of feature set for effective tool condition monitoring by acoustic emission sensing 901
Sun, M.-T., *see* Hou, J.-L.
Surtihadi, J., Raghavachari, M., and Runger, G.: Multivariate control charts for process dispersion 2993

Suryadi, H., and Papageorgiou, L. G.: Optimal maintenance planning and crew allocation for multipurpose batch plants 355
Swamidass, P. M., *see* Henderson, S. C.

Tadikamalla, P., *see* Shang, J. S.
Tai, C.-Y., *see* Chen, J. C.
Tai, K., *see* Lam, Y. C.
Takahashi, K., *see* Cakravastia, A.
Tan, K. C., Kannan, V. R., Jayaram, J., and Narasimhan, R.: Acquisition of operations capability: A model and test across US and European firms . . . 833
Tan, K. C., *see* Jayaram, J.
Taner, M. R., *see* Schultz, S. R.
Tang, J., *see* Chen, Y.
Tang, O., and Naim, M. M.: The impact of information transparency on the dynamic behaviour of a hybrid manufacturing/remanufacturing system 4135
Tang, O., Grubbström, R. W., and Zanoni, S.: Economic evaluation of disassembly processes in remanufacturing systems 3603
Tang, Y., and Qiu, R. G.: Integrated design approach for virtual production line-based reconfigurable manufacturing systems 3803
Thierry, C., Lamothe, J., and Galvagnon, V.: Re-planning support system for make-to-order production with reserved resources 4993
Thomas, R., and Troutt, M. D.: Optimal inventory costs in a complementary flexible manufacturing system 4563
Thoney, K. A., *see* Schultz, S. R.
Thornton, S., *see* Roy, R.
Thrimurthulu, K., *see* Pandey, P. M.
Tien , F.-C., *see* Tsai, C.-Y.
Tien, F.-C., and Tsai, C.-Y.: Scanline-based stereo matching by genetic algorithms 1083
Tien, F.-C., Yeh, C.-H., and Hsieh, K.-H.: Automated visual inspection for microdrills in printed circuit board production 2477
Tirpak, T. M., *see* Kaczmarczyk, W.
Tiwari, M. K., *see* Kumar, R.
Tiwari, M. K., *see* Ranjan, R.
Tiwari, M. K., *see* Srivinas
Tolio, T., *see* Contini, P.
Tolio, T., *see* Matta, A.
Tong, K. W., Kwong, C. K., and Yu, K. M.: Intelligent process design system for the transfer moulding of electronic packages 1911
Tönshoff, H. K., *see* Denkena, B.
Tontini, F., *see* Matta, A.
Towill, D. R., *see* Childerhouse, P.
Towill, D. R., *see* Warburton, R. D. H.
Troutt, M. D., *see* Thomas, R.
Tsai, C.-Y., *see* Tien, F.-C.
Tsai, C.-Y., Tien , F.-C., and Pan, T.-Y.: Development of an XML-based structural product retrieval system for virtual enterprises 1505
Tsai, D.-M., *see* Lu, C.-J.
Tsai, T. L., *see* Sato, R.
Tschaen, V., *see* Jéron, T.
Tseng, H.-E., Li, J.-D., and Chang, Y.-H.: Connector-based approach to assembly planning using a genetic algorithm 2243
Tuffaha, F., *see* Rahim, M. A.
Turchiano, B., *see* Naso, D.
Tyan, J. C., *see* Chen, J. C.

Uchiyama, H., *see* Osaki, H.

Valdés, J. E., *see* Zequeira, R. I.

Valenzuela, J. F., *see* Kakade, V.
Van Der Zee, D. J.: Dynamic scheduling of batch servers with compatible product families 4803
van der Zee, D.-J., *see* Henrich, P.
van Donk, D. P., *see* Soman, C. A.
van Harten, A., *see* Wullink, G.
van Hop, N.: Approach to measure the mix response flexibility of manufacturing systems 1407
Veeramani, D., *see* Wang, K.-J.
Venkateswaran, J., and Son, Y. J.: Impact of modelling approximations in supply chain analysis – an experimental study 2971
Verma, A. K., and Rajotia, S.: Feature vector: a graph-based feature recognition methodology 3219
Vernadat, F., *see* Berrah, L.
Vernadat, F., *see* Berthomieu, B.
Vidalis, M. I., *see* Diamantidis, A. C.
Vieira, G. E., and Ribas, P. C.: A new multi-objective optimization method for master production scheduling problems using simulated annealing 4609
Voß, S., *see* Spieckermann, S.
Vrat, P., *see* Solimanpur, M.

Wadhwa, S., *see* Chan, F. T. S.
Wang, D., Nagalingam, S. V., and Lin, G. C. I.: Development of a parallel processing multi-agent architecture for a virtual CIM system 3765
Wang, F. K., *see* Lin, J. T.
Wang, K.-J., Veeramani, D., and Chen, J.: Distributed production planning using a graph-based negotiation protocol 3077
Wang, L., *see* Li, X.
Wang, Y., and Nnaji, B. O.: UL-PML: constraint-enabled distributed product data model 3743
Warburton, R. D. H., Disney, S. M., Towill, D. R., and Hodgson, J. P. E.: Further insights into 'the stability of supply chains' 639
Warrington, R., *see* Rogers, P.
Wessels, C. M., *see* Mason, S. J.
Westgaard, R. H., *see* Kazmierczak, K.
White, C., *see* Martin, R. L.
Wilson, J. R., *see* Stanfield, P. M.
Winkel, J., *see* Kazmierczak, K.
Wong, Y. S., *see* Ning, Y.
Wong, Y. S., *see* Sun, J.
Wu, C.-W., *see* Pearn, W. L.
Wu, F.-C., and Chyu, C.-C.: Optimization of robust design for multiple quality characteristics 337
Wu, T., and O'Grady, P.: An Extended Kalman filter for collaborative supply chains 2457
Wu, Z., Shamsuzzaman, M., and Pan, E. S.: Optimization design of control charts based on Taguchi's loss function and random process shifts 379
Wullink, G., Gademann, A. J. R. M., Hans, E. W., and van Harten, A.: Scenario-based approach for flexible resource loading under uncertainty 5079

Xi, M., Lehtihet, E. A., and Cavalier, T. M.: Numerical approximation approach to the producibility of composite position tolerance specifications for pattern of holes 243
Xie, X., *see* Achour, Z.
Xie, X., *see* Rezg, N.
Xirouchakis, P., *see* Bufardi, A.
Xirouchakis, P., *see* Lee, D.-H.
Xue, J., and Ji, P.: Process tolerance allocation in angular tolerance charting . . . 3929

Yacout, S., *see* Lamghabbar, A.
Yang, B., Burns, N. D., and Backhouse, C. J.: Management of uncertainty through postponement 1049
Yang, J.-S., and Pan, J. C.-H.: Just-in-time purchasing: an integrated inventory model involving deterministic variable lead time and quality improvement investment 853
Yang, T., Kuo, Y., and Chang, I.: Tabu-search simulation optimization approach for flow-shop scheduling with multiple processors — a case study 4015
Yang, Z., *see* Malakooti, B.
Yao, Z., and Gupta, S. K.: Cutter path generation for 2.5D milling by combining multiple different cutter path patterns 2141
Yau, H.-T., Chuang, C.-M., and Lee, Y.-S.: Numerical control machining of triangulated sculptured surfaces in a stereo lithography format with a generalized cutter 2573
Yeh, C.-H., *see* Tien, F.-C.
Yoon, H. M., *see* Kim, Y.-D.
Young, J. R., *see* Lin, J. T.
Yu, K. M., *see* Tong, K. W.

Zanoni, S., and Grubbstrom, R. W.: A note on an industrial strategy for stock management in supply chains: modelling and performance evaluation . . . 4421
Zanoni, S., *see* Tang, O.
Zequeira, R. I., Prida, B., and Valdés, J. E.: Optimal buffer inventory and preventive maintenance for an imperfect production process 959
Zhai, L. Y., *see* Lam, Y. C.
Zhou, M. Y.: Path planning of functionally graded material objects for layered manufacturing 405
Zijm, H., *see* Meng, G.
Zobel, C. W., Cook, D. F., and Nottingham, Q. J.: An augmented neural network classification approach to detecting mean shifts in correlated manufacturing process parameters 741
Zou, X., Pokharel, S., and Piplani, R.: Channel coordination in an assembly system facing uncertain demand with synchronized processing time and delivery quantity 4673
Zwikael, O., and Globerson, S.: Evaluating the quality of project planning: a model and field results 1545